



To install Jinitiator for Netscape:

Launch Netscape > select **Edit** > select **Preferences**.



Select the Category Advanced > select Cache



Click the Clear Memory Cache button > select OK.


Click the Clear Disk Cache button > select OK.

Change the “**Document in cache is compared to document on network:**” to **Every time**.


Click the **OK** button on the main Preference screen.

Close and reopen Netscape.


Login to Oracle.




Select an application responsibility.




When the “Plug-in Not Loaded” prompt appears select **Get the Plug-in button**. (Note: If the “Plug-in Not Loaded” screen isn’t loaded automatically click on the puzzle icon.)



Save oajinit.exe to your computer.










```
C:\Documents and Settings\colee\Desktop\oajinit.exe
UnZipSFX 5.40 of 28 November 1998, by Info-ZIP <Zip-Bugs@lists.wku.edu>.
extracting: adjbuild/appltop.cer
extracting: adjbuild/jinit11816.exe
extracting: adjbuild/oajsetup.exe
extracting: autoseup.txt
extracting: oajsetup.bat
extracting: setup.bat
```


Select **Yes** to install the Oracle JInitiator when prompted.




Select **Next** on the Welcome screen.




Select **Next** on the Choose Destination Location screen.






Click **OK** once installation is complete.



After installation click on the puzzle icon.



You are now logged into Oracle.

